	Application No.	Applicant(s)
	10/603 068	SHIMIZU, KEIZO
Notice of Allowability	10/603,968 Examiner	Art Unit
Words of American		3747
	Arnold Castro	3/4/
The MAILING DATE of this communication app I claims being allowable, PROSECUTION ON THE MERITS IS Prewith (or previously mailed), a Notice of Allowance (PTOL-85 DTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F the Office or upon petition by the applicant. See 37 CFR 1.31	o (OR REMAINS) CLOSED () or other appropriate comm RIGHTS. This application is	unication will be mailed in due course. THIS
This communication is responsive to		
$oxed{\boxtimes}$ The allowed claim(s) is/are <u>1-20</u> .		
igtimes The drawings filed on $25 June 2003$ are accepted by the		
 Acknowledgment is made of a claim for foreign priority of a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 	ve been received. ve been received in Applicat	ion No
3. ☐ Copies of the certified copies of the priority of	locuments have been receive	ed in this national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	MINERAL OF THIS APPRICATION.	
A SUBSTITUTE OATH OR DECLARATION must be sub INFORMAL PATENT APPLICATION (PTO-152) which g	omitted. Note the attached Exives reason(s) why the oath	XAMINER'S AMENDMENT or NOTICE OF or declaration is deficient.
☐ CORRECTED DRAWINGS (as "replacement sheets") m (a) ☐ including changes required by the Notice of Draftspot 1) ☐ hereto or 2) ☐ to Paper No./Mail Date	erson's Patent Drawing Revi 	
(b) including changes required by the attached Examine	er's Amendment / Comment	
Identifying indicia such as the application number (see 37 CFI each sheet. Replacement sheet(s) should be labeled as such i	R 1.84(c)) should be written or n the header according to 37	n the drawings in the front (not the back) of CFR 1.121(d).
 DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREMEN 	posit of BIOLOGICAL MA	TERIAL must be submitted. Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-94) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/S Paper No./Mail Date 9/26 & 12/08 2003	8) 6. ☐ Interview Paper N B/08), 7. ☑ Examine	Informal Patent Application (PTO-152) Summary (PTO-413), Io./Mail Date In's Amendment/Comment
Paper No./Mail Date <u>9/20 & 12/00 2000</u> . ☐ Examiner's Comment Regarding Requirement for Depos of Biological Material	sit 8. ⊠ Examine 9. □ Other _	er's Statement of Reasons for Allowance

Application/Control Number: 10/603,968

Art Unit: 3747

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Richard L. Kaiser Reg. No. 46,158 on June 14, 2004.

The application has been amended as follows:

In claim 10 on line 6 the word "first" has been changed to the word -inner--.

2. The following is an examiner's statement of reasons for allowance: Tyler US patent 5,067,451 is the closest art found it differs from the claim invention in that the inner coil retaining loop (40) faces opposite as the claimed invention. Thus teaching away from the claim invention. All claims require that the radially outward surface.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arnold Castro whose telephone number is (703) 305-0039. The examiner can normally be reached on 7:30am-5:00pm.

Application/Control Number: 10/603,968

Art Unit: 3747

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Yuen Henry can be reached on (703) 308-1946. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Æ

Arnold Castro Examiner Art Unit 3747

AC

MAHMOUD GIMIE
PRIMARY PATENT EXAMINER
ART UNIT 3747